



UIGO
safety

Product Catalogue

11001BH US PRO FULL BODY HARNESS

Large D-Ring at the back for easy connection

Back support pad in shoulder & leg: designed to give worker all day comfort



Quick Connect Chest and Leg Buckles for faster donning

2 lanyard parks on chest strap for easy storage

Fall Indicator for easy inspection

Removable waist belt: worker can easily add their favourite tool pouches

Sub Pelvic Strap for added safety and comfort

2 side D-rings for any position applications

Padded lumbar support designed to eliminate any discomfort from the weight of tool pouches



Shock Absorber Webbing Type Lanyard

11002 US FULL BODY HARNESS

Large D-Ring for easy connection

5 Points of Adjustment ensures a good fit

2 lanyard parks on chest strap for easy storage



Shock Absorber Rope Type Lanyard

Fall Indicator for easy inspection



Sub Pelvic Strap for added safety and comfort


*UGO Safety Full Body Harness are designed and engineered to meet or exceed all applicable OSHA standards

CE EN 361:2002
EN 362:2004/A

9006 SILICONE FULL FACEPIECE REUSABLE RESPIRATOR



8809 SILICONE HALF FACEPIECE REUSABLE RESPIRATOR



GAS CARTRIDGES & DUST FILTER



9013 UGO SAFETY* Organic Gas Filter, i.e benzene, gasoline, acetone, carbon disulfide, alcohols, ether, aldehyde, carbon tetrachloride, three potassium chloride, selfsame, methyl c chloride, nitrobenzene, nitroalkane, chloropicrin. Other application: welding and painting.



9014 UGO SAFETY* Ammonia derivatives filter, i.e ammonia, H₂S, methylamine, and other alkaline gas.



9017 UGO SAFETY* Acid Gas Filter, i.e SO₂, Chlorine, H₂S, nitrogen oxide, phosgene, phosphorus, chlorine organic pesticide, etc



9020 UGO SAFETY* Multifunctional Integrated Gas Filter, protect from Organic, Inorganic, Acidic and Alkaline Gases.



9101 Pre-Filter Cotton, effectively filter dusts and all kind of paint mist. Use it together with 9108 Filter Cotton Cover.



9108 Filter Cotton Cover, high temperature resistance. Use it together with 9101 Pre-filter Cotton.

***Use the 9101 Pre-filter Cotton and 9108 Filter Cotton Cover on top of your gas cartridges to keep it clean and prolonge its lifetime.**

UGO SAFETY* ANTIBACTERIAL MASK




A 3 in 1 Concept of Antibacterial Mask: Safety, Cost-effectiveness and Convenience.

- The front cover made of polypropylene for a lightweight, comforts and durability.
- All the components are easily removable and cleaned with soap or disinfectant.
- FIT Fog-free mouth & nose shield made of soft silicon for optimal protection against airborne droplets and particles.
- 4-layer filter consist of: Non-woven fabric (x2), Melt-blown fabric, and Nano-Silver coated fabric, to kill up to 99% virus, bacteria and infectious pathogens.
- Meet CE EN14683:2019 standards.
- Filtering Efficiency: BFE \geq 97%; Low leakage rate: 4%.
- Includes 50 replaceable filters for 50 days, providing cost-effective and efficient protection.
- Elastic and adjustable head strap for more FIT.
- Ideal for segment Healthcare, Household, F&B, Industrial, Office Building, etc.
- Packaging
1 box = 1 Mask + 50 Extra Filter + User Guide



CE **EN 14683:2019**
For MDD 93/42/EEC
Medical Device Directive

EC-1003A-C CORDED DISPOSABLE EARPLUGS



- Soft polyurethane earplugs.
- Meet CE, ANSI and AS/NZS 1270 standards.
- These earplugs are intended for single use only.
- Individually packed for convenience.
- Universal fit to suit most ear canals.
- Optimal expansion rate for perfect fitting.
- High visibility colour for easy compliance check.

SNR: 37dB

NRR: 31dB

CSA CLASS AL

SLC(80) 26.4dB Class 5

EC-2001C CORDED REUSABLE EARPLUGS



- Pure silicone earplug for low pressure inside ear canal.
- Meet CE, ANSI and AS/NZS 1270 standards.
- Reusable and durable in good shape.
- Humidity and sweat resistant.
- Fixed umbrella shape for a snug fit while gently conforming to the ear canal.
- High visibility colour for easy compliance check.

SNR: 32dB

NRR: 26dB

CSA CLASS AL

SLC(80) 24dB Class 4

WARNING

- Fit earplugs before exposing yourself to noise and wear them during the whole noise exposure.
- Follow fitting instruction.
- Removed earplugs slowly by twisting them. Removing them too quickly could damage your ear drum.
- Coded earplugs should not be used in any situation where the cord could get caught up during use.
- Stored in a cool, dry place away from direct sunlight.



CE 2777
EN 352-2



UGO
safety

Safety is Everything.
Anytime. Anywhere.

All UGO Safety Products are
imported and distributed by
Ekasurya Inout Indonesia

www.ugo-safety.com